

Superzilla Markets

Industrial Areas (factories).

Agricultural Sector (Irrigation systems& equipment).

**Service& utility sectors (electrical Power stations,
water facilities, petroleum companies,**

Telecommunications providers).

**Medical Service Sector (Biomedical Engineering
Applications).**

Military maintenance Installations Motor Pools.

Private Sector technical (Workshops, Milling &lathe machines

Transportation Sector (Public & Private vehicle fleets,

Rail roads).



Head Office: Al Khober / KSA P O. Box: 552 Postal Code: 31952
Tel: +966 3 8944751 Fax: +966 3 8890656
Riyadh Branch:
Tel: +966 1 4950110 Fax: +966 1 2135484
Website: www.wafaco.com

Mobile: +966 5 05814957

Mobile: +966 5 33343399
Email: mohammad@wafaco.com

شركة الوفاء الدولية
AL WAFIA INTERNATIONAL CO.



Superzilla Sizes:

8 OZ 236.9 ML

12 OZ 354.8 ML

16 OZ 473.1 ML

32 OZ 946.4 ML



Head Office: Al Khobar / KSA P O. Box: 552 Postal Code: 31952
Tel: +966 3 8944751 Fax: +966 3 8890656
Riyadh Branch:
Tel: +966 1 4950110 Fax: +966 1 2135484
Website: www.wafaco.com

Mobile: +966 5 05814957
Mobile: +966 5 33343399
Email: mohammad@wafaco.com

شركة الوفاء الدولية
AL WAFIA INTERNATIONAL CO.



Lubrication Tips:

To lubricate wet:

Wipe off all the material cleaned off the metal spray

Superzilla as required.

To lubricate Dry

Wipe off all the material cleaned off the metal.

Spray a fair amount of Superzilla on the item.

Leave wet for as long as you can, at least 5 minutes,

but preferably 20 minutes. This will allow Superzilla

to refill the pores.

Before use, wipe damp to the touch or completely

dry as needed.



*Head Office: Al Khober / KSA P O. Box: 552 Postal Code: 31952
Tel: +966 3 8944751 Fax: +966 3 8890656
Riyadh Branch:
Tel: +966 1 4950110 Fax: +966 1 2135484
Website: www.wafaco.com*

Mobile: +966 5 05814957

*Mobile: +966 5 33343399
Email: mohammad@wafaco.com*

شركة الوفاء الدولية
AL WAFI INTERNATIONAL CO.



The Benefits:

Improved machine efficiency.

Reduced fire hazard.

Reduce expenditures on multiple products.

Reduction in machinery wear.

Fewer hazardous chemicals in the workplace.

No HAZMAT shipping or disposal fees or fines

Low odor.

Used properly , Superzilla will replace 1/4 to 1/3 of the fluid expenditures to clean, lubricate and protect in the workplace. In short, you use less stuff and that makes money!



Head Office: Al Khober / KSA P O. Box: 552 Postal Code: 31952
Tel: +966 3 8944751 Fax: +966 3 8890656
Riyadh Branch:
Tel: +966 1 4950110 Fax: +966 1 2135484
Website: www.wafaco.com

Mobile: +966 5 05814957

Mobile: +966 5 33343399
Email: mohammad@wafaco.com

شركة الوفاء الدولية
AL WAFIA INTERNATIONAL CO.



Use:

Do not mix or apply other cleaners / lubes after application.

Application time varies, with the first application taking the longest.

Each maintenance session will become progressively shorter.

The quickest cleaning will always be your last one.

Steps:

- **Spray on.**
- **Spray –if needed.**
- **Spray & let stand.**
- **Wipe off.**
- **Lubricate.**



Head Office: Al Khobar / KSA P O. Box: 552 Postal Code: 31952
Tel: +966 3 8944751 Fax: +966 3 8890656
Riyadh Branch:
Tel: +966 1 4950110 Fax: +966 1 2135484
Website: www.wafaco.com

Mobile: +966 5 05814957

Mobile: +966 5 33343399
Email: mohammad@wafaco.com

شركة الوفاء الدولية
AL WAFIA INTERNATIONAL CO.




A Neutral:

The coating is also Non-Ionic, meaning its neutral to particles floating in the air.

At top SAE 30 oil, middle, a 6% Teflon Infused lubricant, at below is Superzilla used dry. The article was then covered in sand, let stand, and then flipped over.

What's below remained? This is something any workshop can try.



Head Office: Al Khober / KSA P O. Box: 552 Postal Code: 31952
Tel: +966 3 8944751 Fax: +966 3 8890656
Riyadh Branch:
Tel: +966 1 4950110 Fax: +966 1 2135484
Website: www.wafaco.com

Mobile: +966 5 05814957

Mobile: +966 5 33343399
Email: mohammad@wafaco.com

شركة الوفاء الدولية
AL WAFI INTERNATIONAL CO.



The Coating:

Superzilla coating, even when wiped dry to the touch offers superior rust and corrosion prevention. This test sample is 2 years old. Notice the SAE 30 oil at top with Superzilla below.

The test article was exposed to American weather for 2 months, then placed in high humidity environment for 2 years.



Head Office: Al Khober / KSA P O. Box: 552 Postal Code: 31952
Tel: +966 3 8944751 Fax: +966 3 8890656
Riyadh Branch:
Tel: +966 1 4950110 Fax: +966 1 2135484
Website: www.wafaco.com

Mobile: +966 5 05814957

Mobile: +966 5 33343399
Email: mohammad@wafaco.com

شركة الوفاء الدولية
AL WAFIA INTERNATIONAL CO.



Lubricant & Protection 2:

Lubrication is part of Superzilla by design.

It is slicker than any oil could ever be because of its

molecular and botanical origins. Superzilla does not burn,

has a low evaporation rate, (about 1% annually), and

because of its coating and penetrating abilities ,

Superzilla displays capillary action at a very high rate of speed.

Being a capillary lubricant means it can go more places and

lubricate items that otherwise would not be reached.

Superzilla is non-ionic and does not attract foreign particles.

All this means machines typically run around 40% cooler than

with a petroleum based lubricant.



Head Office: Al Khober / KSA P O. Box: 552 Postal Code: 31952
Tel: +966 3 8944751 Fax: +966 3 8890656
Riyadh Branch:
Tel: +966 1 4950110 Fax: +966 1 2135484
Website: www.wafaco.com

Mobile: +966 5 05814957

Mobile: +966 5 33343399
Email: mohammad@wafaco.com

شركة الوفاء الدولية
AL WAFIA INTERNATIONAL CO.



Lubrication & protection1:

Once Superzilla reaches its depth it will sit in the pores of the metal at the molecular level. Superzilla will coat and protect by not allowing other substances to get into the pores.

While wet, the Superzilla coating has a surface elasticity that will encapsulate any oil it comes into contact with. This makes oiling unnecessary and even a waste.

Superzilla coats and even if wiped dry to the touch the coating remains molecularly. The coating does not seal in rust like oil, it removes it. When Superzilla reaches its penetration depth , rest assured there is nothing between the surface of the , metal and the pores but Superzilla.



Head Office: Al Khober / KSA P O. Box: 552 Postal Code: 31952
Tel: +966 3 8944751 Fax: +966 3 8890656
Riyadh Branch:
Tel: +966 1 4950110 Fax: +966 1 2135484
Website: www.wafaco.com

Mobile: +966 5 05814957

Mobile: +966 5 33343399
Email: mohammad@wafaco.com

شركة الوفاء الدولية
AL WAFIA INTERNATIONAL CO.



Cleaning:

Superzilla is hyper- penetrate which works its way through and around foreign materiel on metal, encapsulating it as it goes. This includes the previous cleaners, lubricants and Protects even the preceding Superzilla coating.

While on its way to penetration depth it breaks the carbon bond which holds carbon material, rust, plastic etcetera and foreign particles to the metal. At depth, Superzilla displaces all foreign material from the pores of the metal and to the surface where it can be brushed , wiped or blown away.



Head Office: Al Khober / KSA P O. Box: 552 Postal Code: 31952
Tel: +966 3 8944751 Fax: +966 3 8890656
Riyadh Branch:
Tel: +966 1 4950110 Fax: +966 1 2135484
Website: www.wafaco.com

Mobile: +966 5 05814957

Mobile: +966 5 33343399
Email: mohammad@wafaco.com

شركة الوفاء الدولية
AL WAFIA INTERNATIONAL CO.





Superzilla is an American product made entirely from plants and biomaterial. It is manufactured by Duck Products of Lansing, Michigan USA. Superzilla cleans, lubricates and protects industrial metal components, delivering superior results without any of the risks associated with Hazardous Chemicals.



*Head Office: Al Khober / KSA P O. Box: 552 Postal Code: 31952
Tel: +966 3 8944751 Fax: +966 3 8890656
Riyadh Branch:
Tel: +966 1 4950110 Fax: +966 1 2135484
Website: www.wafaco.com*

Mobile: +966 5 05814957

*Mobile: +966 5 33343399
Email: mohammad@wafaco.com*

شركة الوفاء الدولية
AL WAFIA INTERNATIONAL CO.



Superzilla

The "Green" wonder product



Head Office: Al Khobar / KSA P O. Box: 552 Postal Code: 31952
Tel: +966 3 8944751 Fax: +966 3 8890656
Riyadh Branch:
Tel: +966 1 4950110 Fax: +966 1 2135484
Website: www.wafaco.com

Mobile: +966 5 05814957

Mobile: +966 5 33343399
Email: mohammad@wafaco.com

شركة الوفاء الدولية
AL WAFI INTERNATIONAL CO.

